

## EAST SEARCH

2/2/06

L#	Hits	Search String	Databases
S1	9702	((digital or data) near2 communication\$1) with (modulat\$3 or equaliz\$3 or (symbol near2 (inte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S2	1557	S1 and ((decod\$3 or estimat\$3) with symbol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S3	290	S1 and ((decod\$3 or estimat\$3) with symbol\$1 with sample\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S4	290	S2 and ((decod\$3 or estimat\$3) with symbol\$1 with sample\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S5	110	S2 and (reliability with (symbol\$1 or sample\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S6	26	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S7	75	S2 and (reliability with (limit\$1 or threshold\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S8	4	S5 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S9	45	S2 and (sample\$1 with (adjacent or neighboring) with (symbol\$1 or sample\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S10	0	S2 and ((rescatter\$3 or scatter\$3) near2 sample\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S13	321	S2 and ((decod\$3 or estimat\$3) with "maximum likelihood")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S14	80	S2 and ("intersymbol interference" or ISI) with coefficient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S15	216	S2 and (trellis near2 decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S16	0	S2 and ("intersymbol interference" or ISI) with coefficient\$1 with distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S18	283	S2 and (weight\$3 with (symbol\$1 or sample\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S19	1	S2 and (weight\$3 with reliability with (limit\$1 or threshold\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S20	21	S2 and (weight\$3 with reliability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S21	22	S2 and ("intersymbol interference" or ISI) with probability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S22	412	S2 and (fram\$3 with (symbol\$1 or sample\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S24	0	S2 and (subtrct\$3 with equaliz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S25	749	S2 and (receiver\$1 with (decoder\$1 or detector\$1 or demodulator\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S26	296	S6 or S7 or S8 or S9 or S11 or S12 or S14 or S17 S19 or S20 or S21 or S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S27	1033	S4 or S5 or S13 or S15 or S18 or S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S28	252	S26 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S29	109	S28 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S30	252	S28 or S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S11	35	S2 and (constellation with region\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S12	45	S2 and (decision with region\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S17	6	S2 and ("intersymbol interference" or ISI) with distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S23	29	S2 and ("intersymbol interference" or ISI) with coefficient\$1 with (estimat\$3 or calculat\$3 or c	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S31	2	6,556,634.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S32	1	S31 and (ISI or "intersymbol interference")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S33	1	S31 and (ISI or "inter-symbol interference")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S34	2	6,581,179.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S35	9702	((digital or data) near2 communication\$1) with (modulat\$3 or equaliz\$3 or (symbol near2 (inte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S36	1557	S35 and ((decod\$3 or estimat\$3) with symbol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S37	290	S36 and ((decod\$3 or estimat\$3) with symbol\$1 with sample\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S38	110	S36 and (reliability with (symbol\$1 or sample\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S39	26	S37 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S40	75	S36 and (reliability with (limit\$1 or threshold\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S41	4	S38 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S42	45	S36 and (sample\$1 with (adjacent or neighboring) with (symbol\$1 or sample\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S43	35	S36 and (constellation with region\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S44	45	S36 and (decision with region\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S45	321	S36 and ((decod\$3 or estimat\$3) with "maximum likelihood")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S46	80	S36 and ("intersymbol interference" or ISI) with coefficient\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S47	216	S36 and (trellis near2 decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S48	6	S36 and ("intersymbol interference" or ISI) with distribution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S49	283	S36 and (weight\$3 with (symbol\$1 or sample\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S50	1	S36 and (weight\$3 with reliability with (limit\$1 or threshold\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S52	22	S36 and ("intersymbol interference" or ISI) with probability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S53	412	S36 and (fram\$3 with (symbol\$1 or sample\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S54	29	S36 and ("intersymbol interference" or ISI) with coefficient\$1 with (estimat\$3 or calculat\$3 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S55	749	S36 and (receiver\$1 with (decoder\$1 or detector\$1 or demodulator\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S56	296	S37 or S40 or S41 or S42 or S43 or S44 or S46 or S48 S50 or S51 or S52 or S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S57	1033	S37 or S38 or S45 or S47 or S49 or S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S58	252	S56 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S59	109	S58 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S51	21	S36 and (weight\$3 with reliability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S61	2	6,665,308,pr.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S62	1	S61 and (fram\$3 with (symbol\$1 or sample\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S63	0	S61 and (fram\$3 with (symbol\$1 with sample\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S64	0	S61 and ((fram\$3 with symbol\$1) same (fram\$3 with sample\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S65	1	S61 and (fram\$3 with sample\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S66	0	S61 and (reliable with symbol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S67	1	S34 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S68	1	S34 and (fram\$3 with (symbol\$1 or sample\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S70	109	S58 and (frame with symbol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S71	21	S58 and (frame with sample\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S72	0	S69 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S73	0	S69 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S74	0	S34 and (reliable near2 symbol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S69	6	S58 and (reliable near2 symbol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S75	0	S61 and (fram\$3 with length\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S76	68	S70 and (fram\$3 with length\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S77	67	S70 and ((determin\$3 or specify\$3 or specifi\$3 or predetermin\$3 or prespecifi\$3) with length\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S78	60	S76 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S79	39	S60 and (subtract\$3 with equaliz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S80	102	S60 and (decision with equaliz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S81	36	S79 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S82	72	S58 and "maximum likelihood"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S60	252	S58 or S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S83	76	S36 and ((distribution) with probability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S84	4	S52 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S85	80	S60 and (previous\$2 with symbol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S86	49	S60 and (probability with symbol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S87	27	S85 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S88	33	S60 and (trellis near2 decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S89	82	S60 and (trellis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S90	60	S60 and (trellis with decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S91	58	S60 and (receiver with demodulator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S92	1	S61 and (memory with buffer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S93	0	S61 and (processor with detector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S94	1	S61 and ((processor\$1 or CPU) with detector\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S95	0	S61 and (reliable with symbol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S96	1	S61 and (decod\$3 with signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S97	2	6,581,179, pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S98	2	6,556,634, pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

09/836,281

Eilon Riess

## EAST SEARCH

2/2/06

### Results of search set S91:

Document Kind	Code	Title	Issue Date	Current OR	Abstract
US	20040190649 A1	Joint, adaptive control of equalization, synchronization, and gain in a digital communications system	20040930	375/326	
US	20040190641 A1	Method and system for modulating and demodulating signals in ultra-wide band (UWB) communications	20040930	375/261	
US	20040184564 A1	Timing synchronization for M-DPSK channels	20040923	375/330	
US	20040120300 A1	System, method and apparatus for parallel information transmission in wireless communications	20040624	370/342	
US	20040042566 A1	Symbol reliability determination and symbol pre-selection based on reliability criteria	20040304	375/341	
US	20040037374 A1	Efficient partial response equalization	20040226	375/341	
US	20040001561 A1	Method and system for the transmission, reception and processing of 4-level and 8-level signals	20040101	375/308	
US	20030156603 A1	Apparatus and method for trellis encoding data for transmission in digital data transmission systems	20030821	370/485	
US	20030128751 A1	Method and apparatus for frequency-domain tracking of residual frequency and channel estimation	20030710	375/229	
US	20030123595 A1	Multi-pass phase tracking loop with rewind of future waveform in digital communication system	20030703	375/376	
US	20030112914 A1	Multi-pass phase tracking loop with rewind of current waveform in digital communication system	20030619	375/376	
US	20030086515 A1	Channel adaptive equalization precoding system and method	20030508	375/346	
US	20030081576 A1	Transmitting/receiving apparatus and method for packet retransmission in a mobile communications system	20030501	370/335	
US	20030053550 A1	System and method for recovering symbol timing offset and carrier frequency error in an OFDM system	20030320	375/267	

US 20030016770 A1	Channel equalization system and method	20030123 375/346
US 20020181633 A1	Means and method for a synchronous network communications system	20021205 375/354
US 20020150180 A1	Method for enhancing soft-value information	20021017 375/341
US 20020015423 A1	Apparatus and method for trellis encoding data for transmission in digital data transmission system	20020207 370/485
US 20010046266 A1	Apparatus and method for cdma digital data transmission using orthogonal codes and head	20011129 375/259
US 20010038674 A1	MEANS AND METHOD FOR A SYNCHRONOUS NETWORK COMMUNICATIONS SYSTEM	20011108 375/355
US 20010024474 A1	Apparatus and method for trellis encoding data for transmission in digital data transmission system	20010927 375/259
US 20010022813 A1	Technique for minimizing decision feedback equalizer wordlength in the presence of a DC component	20010920 375/233
US 20010001616 A1	Apparatus and method for SCDMA digital data transmission using orthogonal codes and a header	20010524 375/259
US 6862326 B1	Whitening matched filter for use in a communications receiver	20050301 375/343
US 6842495 B1	Dual mode QAM/VSF receiver	20050111 375/326
US 6823027 B2	Method for enhancing soft-value information	20041123 375/341
US 6781447 B2	Multi-pass phase tracking loop with rewind of current waveform in digital communication system	20040824 329/304
US 6763064 B1	Block decision directed equalization method and apparatus	20040713 375/230
US 6665308 B1	Apparatus and method for equalization in distributed digital data transmission systems	20031216 370/441
US 6608874 B1	Method and apparatus for quadrature multi-pulse modulation of data for spectrally efficient communication	20030819 375/353
US 6567475 B1	Method and system for the transmission, reception and processing of 4-level and 8-level signals	20030520 375/286
US 6539063 B1	System and method for recovering symbol timing offset and carrier frequency error in an OFDM system	20030325 375/267
US 6442212 B1	Method and apparatus for transmission of digital data	20020827 375/265
US 6384858 B1	Suppression of co-channel NTSC interference artifacts when extracting training signal for a DVB system	20020507 348/21
US 6377640 B2	Means and method for a synchronous network communications system	20020423 375/354
US 6356555 B1	Apparatus and method for digital data transmission using orthogonal codes	20020312 370/441
US 6307868 B1	Apparatus and method for SCDMA digital data transmission using orthogonal codes and a header	20011023 370/485
US 6278732 B1	Efficient MLSE equalization for quadrature multi-pulse (QMP) signaling	20010821 375/235
US 6263030 B1	Equalizer with channel tracker switching	20010717 375/341
US 6246732 B1	Demodulator including adaptive equalizer and demodulating method in digital communication system	20010612 375/346
US 6226323 B1	Technique for minimizing decision feedback equalizer wordlength in the presence of a DC component	20010501 375/233
US 6141378 A	Fractionally-spaced adaptively-equalized self-recovering digital receiver for amplitude-phase modulation	20001031 375/232
US 6118814 A	Communication system	20000912 375/232
US 6115433 A	Adaptively-equalized digital receiver with carrier tracking	20000905 375/326
US 5991308 A	Lower overhead method for data transmission using ATM and SCDMA over hybrid fiber coaxial network	19991123 370/395.53
US 5970093 A	Fractionally-spaced adaptively-equalized self-recovering digital receiver for amplitude-phase modulation	19991019 375/234
US 5909466 A	Adaptive equalizer for digital communications systems	19990601 375/233
US 5812601 A	Coding for higher-level modulation	19980922 375/262
US 5809009 A	Demodulator apparatus for digital radio communication receiver providing pseudo-coherent quadrature demodulation	19980915 370/206
US 5768307 A	Coherent demodulation with decision-directed channel estimation for digital communication system	19980616 375/150
US 5694419 A	Shared resource modulator-demodulator circuits for use with vestigial sideband signals	19971202 375/222
US 5692013 A	Shared resources modulator-demodulator circuits for use with quadrature amplitude modulation	19971125 375/277
US 5598439 A	Method and apparatus for symbol clock phase recovery	19970128 375/326
US 5301167 A	Apparatus for improved underwater acoustic telemetry utilizing phase coherent communication system	19940405 367/134
US 5297169 A	Equalizer training in a radiotelephone system	19940322 375/231
US 5233632 A	Communication system receiver apparatus and method for fast carrier acquisition	19930803 375/344
US 5007068 A	Doppler-corrected differential detection system	19910409 375/280
US 4837786 A	Technique for mitigating rain fading in a satellite communications system using quadrature phase modulation	19890606 370/206

Interference checked

09/836,281

Eilon Riess

## EAST SEARCH

2/2/06

L#	Hits	Search String	Databases
L1	130752	communication\$1 near2 (system or data or mobile)	US-PGPUB
L2	3628	1 and constellation	US-PGPUB
L3	19160	1 and reliability	US-PGPUB
L4	499	3 and (estimat\$3 near2 symbol)	US-PGPUB
L5	33	4 and (reliability with threshold)	US-PGPUB
L6	33	4 and (reliable near2 symbol)	US-PGPUB
L7	12	5 and (reliability.CLM.)	US-PGPUB
L8	3	5 and (reliable.CLM.)	US-PGPUB
L9	12	5 and (threshold.CLM.)	US-PGPUB
L10	18	7 or 8 or 9	US-PGPUB

09/836,281

Eilon Riess

## EAST SEARCH

2/2/06

### Results of search set S91:

Document Kind	Codes	Title	Issue Date	Current OR	Abstract
US	20040190649	A1 Joint, adaptive control of equalization, synchronization, and gain in a digital communications system	20040930	375/326	
US	20040190641	A1 Method and system for modulating and demodulating signals in ultra-wide band (UWB) communication system	20040930	375/261	
US	20040184564	A1 Timing synchronization for M-DPSK channels	20040923	375/330	
US	20040120300	A1 System, method and apparatus for parallel information transmission in wireless communication system	20040624	370/342	
US	20040042566	A1 Symbol reliability determination and symbol pre-selection based on reliability criteria	20040304	375/341	
US	20040037374	A1 Efficient partial response equalization	20040226	375/341	
US	20040001561	A1 Method and system for the transmission, reception and processing of 4-level and 8-level signals	20040101	375/308	
US	20030156603	A1 Apparatus and method for trellis encoding data for transmission in digital data transmission system	20030821	370/485	
US	20030128751	A1 Method and apparatus for frequency-domain tracking of residual frequency and channel estimation	20030710	375/229	
US	20030123595	A1 Multi-pass phase tracking loop with rewind of future waveform in digital communication system	20030703	375/376	
US	20030112914	A1 Multi-pass phase tracking loop with rewind of current waveform in digital communication system	20030619	375/376	
US	20030086515	A1 Channel adaptive equalization precoding system and method	20030508	375/346	
US	20030081576	A1 Transmitting/receiving apparatus and method for packet retransmission in a mobile communication system	20030501	370/335	
US	20030053550	A1 System and method for recovering symbol timing offset and carrier frequency error in an OFDM system	20030320	375/267	
US	20030016770	A1 Channel equalization system and method	20030123	375/346	

US 20020181633 A1	Means and method for a synchronous network communications system	20021205 375/354
US 20020150180 A1	Method for enhancing soft-value information	20021017 375/341
US 20020015423 A1	Apparatus and method for trellis encoding data for transmission in digital data transmission systems	20020207 370/485
US 20010046266 A1	Apparatus and method for scdma digital data transmission using orthogonal codes and head	20011129 375/259
US 20010038674 A1	MEANS AND METHOD FOR A SYNCHRONOUS NETWORK COMMUNICATIONS SYSTEM	20011108 375/355
US 20010024474 A1	Apparatus and method for trellis encoding data for transmission in digital data transmission systems	20010927 375/259
US 20010022813 A1	Technique for minimizing decision feedback equalizer wordlength in the presence of a DC component	20010920 375/233
US 20010001616 A1	Apparatus and method for SCDMA digital data transmission using orthogonal codes and a head	20010524 375/259
US 6862326 B1	Whitening matched filter for use in a communications receiver	20050301 375/343
US 6842495 B1	Dual mode QAM/PSK receiver	20050111 375/326
US 6823027 B2	Method for enhancing soft-value information	20041123 375/341
US 6781447 B2	Multi-pass phase tracking loop with rewind of current waveform in digital communication systems	20040824 329/304
US 6763064 B1	Block decision directed equalization method and apparatus	20040713 375/230
US 6665308 B1	Apparatus and method for equalization in distributed digital data transmission systems	20031216 370/441
US 6608874 B1	Method and apparatus for quadrature multi-pulse modulation of data for spectrally efficient communication	20030819 375/353
US 6567475 B1	Method and system for the transmission, reception and processing of 4-level and 8-level signals	20030520 375/286
US 6539063 B1	System and method for recovering symbol timing offset and carrier frequency error in an OFDM system	20030325 375/267
US 6442212 B1	Method and apparatus for transmission of digital data	20020827 375/265
US 6384858 B1	Suppression of co-channel NTSC interference artifacts when extracting training signal for a DVB system	20020507 348/21
US 6377640 B2	Means and method for a synchronous network communications system	20020423 375/354
US 6356555 B1	Apparatus and method for digital data transmission using orthogonal codes	20020312 370/441
US 6307868 B1	Apparatus and method for SCDMA digital data transmission using orthogonal codes and a head	20011023 370/485
US 6278732 B1	Efficient MLSE equalization for quadrature multi-pulse (QMP) signaling	20010821 375/235
US 6263030 B1	Equalizer with channel tracker switching	20010717 375/341
US 6246732 B1	Demodulator including adaptive equalizer and demodulating method in digital communication systems	20010612 375/346
US 6226323 B1	Technique for minimizing decision feedback equalizer wordlength in the presence of a DC component	20010501 375/233
US 6141378 A	Fractionally-spaced adaptively-equalized self-recovering digital receiver for amplitude-phase communication systems	20001031 375/232
US 6118814 A	Communication system	20000912 375/232
US 6115433 A	Adaptively-equalized digital receiver with carrier tracking	20000905 375/326
US 5991308 A	Lower overhead method for data transmission using ATM and SCDMA over hybrid fiber coax	19991123 370/395.53
US 5970093 A	Fractionally-spaced adaptively-equalized self-recovering digital receiver for amplitude-phase communication systems	19991019 375/234
US 5909466 A	Adaptive equalizer for digital communications systems	19990601 375/233
US 5812601 A	Coding for higher-level modulation	19980922 375/262
US 5809009 A	Demodulator apparatus for digital radio communication receiver providing pseudo-coherent communication	19980915 370/206
US 5768307 A	Coherent demodulation with decision-directed channel estimation for digital communication systems	19980616 375/150
US 5694419 A	Shared resource modulator-demodulator circuits for use with vestigial sideband signals	19971202 375/222
US 5692013 A	Shared resources modulator-demodulator circuits for use with quadrature amplitude modulation	19971125 375/277
US 5598439 A	Method and apparatus for symbol clock phase recovery	19970128 375/326
US 5301167 A	Apparatus for improved underwater acoustic telemetry utilizing phase coherent communication	19940405 367/134
US 5297169 A	Equalizer training in a radiotelephone system	19940322 375/231

US 5233632 A	Communication system receiver apparatus and method for fast carrier acquisition	19930803	375/344	
US 5007068 A	Doppler-corrected differential detection system	19910409	375/280	
US 4837786 A	Technique for mitigating rain fading in a satellite communications system using quadrature phase shift keying	19890606	370/206	
<b>Results of search set S91:</b>				
Document Kind	Codes Title	Issue Date	Current OR	Abstract
US 20050283702 A1	Soft-decision decoding using selective bit flipping	20051222	714/752	
US 20050250526 A1	Synchronization detection methods and apparatus	20051110	455/522	
US 20050250524 A1	Methods and apparatus for fast downlink information of uplink out-of-synchronization	20051110	455/509	
US 20050180364 A1	Construction of projection operators for interference cancellation	20050818	370/335	
US 20040234007 A1	Multiuser detection with targeted error correction coding	20041125	375/340	
US 20040179578 A1	Method of processing a signal by a radio receiver and radio receiver for the implementation of the method	20040916	375/130	
US 20040042566 A1	Symbol reliability determination and symbol pre-selection based on reliability criteria	20040304	375/341	
US 20040013169 A1	PHASE ROTATION DETECTION APPARATUS AND RADIO BASE STATION APPARATUS	20040122	375/147	
US 20030174767 A1	MIMO receiver and method of reception therefor	20030918	375/229	
US 20030156672 A1	Frame synchronization and detection technique for a digital receiver	20030821	375/365	
US 20030076905 A1	Method and a device for controlling data extraction from a data stream containing at least one substream	20030424	375/343	
US 20020181621 A1	Method for estimating the bit error rate in a radio receiver and corresponding radio receiver	20021205	375/340	
US 20020164967 A1	Radio receiving device and radio receiving method	20021107	455/226.1	
US 20020161560 A1	Turbo-reception method and turbo-receiver	20021031	702/196	
US 20020129318 A1	Soft output viterbi algorithm (SOVA) with error filters	20020912	714/795	
US 20020046379 A1	Communication system employing automatic repeat request	20020418	714/749	
US 20020037062 A1	Reliable symbols as a means of improving the performance of information transmission systems	20020328	375/348	
US 20020007257 A1	Reliable symbols as a means of improving the performance of information transmission systems	20020117	703/2	